

PORCELAIN TILE

PORCEMALL

INDIA



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



PORCEMALL



Formats / Sizes

120x120

80x80

80x160


60x120

30x60


60x60



PORCEMALL



Formats / Sizes




PORCEMALL




Artistic Bianco

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes



PORCEMALL



Calacatta Bianco

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60




Technical specifications

PORCEMALL



Calcutta Nero

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60




Technical specifications

PORCEMALL



Carolina White

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120


80x80

80x160

60x120


30x60

60x60




Technical specifications

PORCEMALL



Formats / Sizes



PORCEMALL



Cloudy Sky

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes



Technical specifications






Dolomite Bianco

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes



Technical specifications

PORCEMALL



Formats / Sizes



PORCEMALL

120x120


80x80

80x160

60x120

30x60

60x60



Formats / Sizes



PORCEMALL



Emma Beige

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes

120x120

80x80

80x160

60x120


30x60

60x60



Technical specifications





Formats / Sizes





Grim White Colorica

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60




Technical specifications

PORCEMALL



Marshy White

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120


80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Formats / Sizes


120x120	80x80	80x160	60x120	30x60
				60x60





Miami Natural

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60




PORCEMALL





Onix Pearl

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes



Technical specifications


PORCEMALL



Formats / Sizes

120x120				
	80x80	80x160		30x60
			60x120	60x60

Technical specifications



Formats / Sizes

120x120


80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Pietra Nera

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes

120x120	80x80	80x160	60x120	30x60	30x60
---------	-------	--------	--------	-------	-------



Technical specifications

PORCEMALL



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



PORCEMALL



Smoke White

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Statuario Bianco

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED




Formats / Sizes



Technical specifications

PORCEMALL





Formats / Sizes



PORCEMALL

120x120	80x80	80x160	60x120	30x60	60x60
---------	-------	--------	--------	-------	-------



Statuario Silver

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes



Technical specifications

PORCEMALL



Silver Onyx

GLAZED PORCELAIN TILES + GLOSSY / MATT + RECTIFIED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Formats / Sizes



Technical specifications

PORCEMALL



Vintage White

WOOD LOOK TILE MATT + RECTIFIED



Formats / Sizes

20 X 120



Technical specifications

PORCEMALL



Volakas

GLAZED PORCELAIN STONEWARE + RECTIFIED + POLISHED



Formats / Sizes

120x120

80x80

80x160

60x120

30x60

60x60



Technical specifications

PORCEMALL



Pure White Glossy
CERAMIC WALL TILE + GLOSSY + RECTIFIED



Formats

Technical specifications

12"x24"

GLOSSY WALL TILE

PORCEMALL

Wave White Glossy
CERAMIC WALL TILE + GLOSSY + RECTIFIED



Formats



Technical specifications

12"x24"

GLOSSY WALL TILE

PORCEMALL

PACKING DETAILS

MAXIMUM WEIGHT ALLOWED IN THE CONTAINER OF 20 ´

26700 KG

	STD	STD	STD	STD
	PGVT	PGVT	PGVT	PGVT
PACKING	12X24	24X24	24X48	32X32
TICKNESS (MM)	8,5	8,5	9	8,5
TILES PER BOX	5	4	2	3
SQF PER BOX	9,69	14,32	15,50	20,67
WEIGHT PER BOX (lb)	37,48	60,63	65,04	79,37
BOX PER PALET	56	34	29	36
WEIGHT PER PALET lb	2179	2117	1942	2913
SQF PER PALLET	542,51	486,75	449,50	744,01
PALET PER CONTAINER	27	28	30	20
BOX PER CONTAINER	1512	952	870	720
SQF PER CONTAINER	14647,65	13628,95	13485,14	14880,15
WEIGHT PER CONTAINER (KG)	26.686	26.884	26.419	26.424
PALETS LAYER 1	12	12	12	10
PALETS LAYER 2	12	12	12	10
PALETS LAYER 3	0	4	6	0
total PALET	24	28	30	20
PALLET DIMENSION				
LENGTH (Inch)	49,2	49,2	49,2	44,1
WIDTH (inch)	29,9	29,9	29,9	44,1
HEIGHT (inch)	29,1	29,1	29,1	37,0

* May apply some variations on the production line. Standard values.



WALL TILES



FLOOR TILES



POLISHED



RECTIFIED

TECHICAL SPECIFICATIONS

FINISH: POLISHED

PORCELAIN TILES W.A. < 0. 5%

RECTIFIED.

CHARACTERISTIC	STANDARD AS PER ISO- 13006/	MEAN VALUE POLISHED	MEAN VALUE RESULTS	TEST METHOOD
	En14411 GROUP BIa	CVT STANDARDS		
A. REGULARITY PROPERTIES				
A.1 Deviation in length & width	+-0.5%	+-0.1%	+-0.1%	ISO- 10545-2
A.2 Deviation in thickness	+-0.5%	+-0.4%	+-0.4%	ISO- 10545-2
A.3 Straightness inside	+-0.5%	+-0.1%	+-0.1%	ISO- 10545-2
A.4 Rectangularity	+-0.6%	+-0.5%	+-0.1%	ISO- 10545-2
	+-0.2%	+-0.1%	+-0.2%	ISO- 10545-2
A.5 Colour difference	Unaltered	No Change	No Change	ISO-10545-16
A.6 Glossiness	As Per Mfg	Min 90%	Min 94%	Glossy Meter
B. STRUCTURAL PROPERTIES				
B.1 Water Absorption	< 0. 50%	< 0. 20%	< 0. 20%	ISO – 10545-3
B.2 Apparent Density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
C. MASSIVE MECHANICAL PROPERTIES				
C.1 Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	Min. 40 N/mm2	ISO – 10545-4
C.2 Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO – 10545-4
C.3 Impact resistance	As per Mfg	Min. 0.55	Min. 0.55	ISO – 10545-4
D. SURFACE MECHANICAL PROPERTIES				
D.1 MOSH scale hardness	As Per Mfg	Min.4	Min.4	En 101
D.2 Surface abrasion resistance (PEI)	CLASS II	CLASS II	CLASS II	ISO – 10545-7
E. THERMO HYGROMETRIC PROPERTIES				
E.1 Frost Resistance	No Damage	No Damage	No Damage	ISO – 10545-12
E.2 Thermal Shock Resistance	No Damage	No Damage	No Damage	ISO – 10545-9
E.3 Moisture Expansion	Nil	Nil	Nil	ISO – 10545-10
E.4 Thermal Expansion (COE)	Max.9.0X10- 6 C-1	Max.6.5x10- 6 C-1	Max.6.5x10- 6 C-1	ISO – 10545-8
E.5 Crazeing Resistance	As Per Mfg	Min. 10 Cycle	Min. 10 Cycle	ISO – 10545-11
F. CHEMICAL PROPERTIES				
F.1 Chemical Resistance	No Damage	No Damage	No Damage	ISO – 10545-13
F.2 Stain Resistance	Resistant	Resistant	Resistant	ISO – 10545-14
G. SAFETY PROPERTIES				
G.1 Fire Resistance	As Per Mfg	Fireproof	Fireproof	N.A
G.2 Lead & Cadmium Given Off	As Per Mfg	Does Not Yield pb & cd	Does Not Yield pb & cd	ISO-10545-15
By Glazed Tiles				



PORCEMALL USA

3101 SW 13th Drive Deerfield Beach, FL 33442

Phone: +1 954 278 8022

infousa@porcemall.com

www.porcemall.com